

Organic nutrition for quality, safety and sustanability

# FULLROOT

EC FERTILIZER ABONO CE

HIGH PERCENTAGE IN FULVIC ACIDS, ORGANIC COMPOUNDS AND ORGANIC MATTER

**EXPERTS FOR GROWTH** 

# **GUARANTEED ANALYSIS:**

Organic matter 42,0% m/m Total Humic Extract 25,0% m/m Fulvic Acids 25,0% m/m Total Nitrogen (N) 4,50% m/m Phosphorus pentoxide  $(P_2O_s)$  water soluble 1,0% m/m Potassium Oxide  $(K_2O)$  water soluble 1,0% m/m Density: 1,22 gr/cc pH: 4-5

# DOSSING ACCORDING TO THE CROP: Tomato, Chile, Cucumber, Eggplant, Zucchini, Melon, Watermelon:

After 10 or 15 days of the transplant or emergence of the crop, apply every 7-10 days until the end of cultivation. 2-5 L/Ha.

## **EFFECTS:**

Stimulates root development.

Accelerates recovery after stressful situations.

Avoid the phytotoxicity of herbicides and other phytosanitary products.

Regenerates the microbial flora.

Improves the nutrition of the plant.

Uniformizes the size and maturation of the fruits.

**FULLROOT** is a root booster of vegetable origin, rich in fulvic acids and organic matter. The fulvic acids prevent soil retrogradation and act by unblocking mineral compounds and microelements they contain, as well as the nutrients provided by fertilization, making them available to the plant.

**FULLROOT** favors the development of the root system, improving soil microbial activity, resulting in better assimilation and better use of soil nutrients.

The vitamin complex of 100% natural origin provided by **FULLROOT** accelerates the biochemical processes of the plant, improving it's productivity and yield. In addition, thanks to it's high content in organic matter is a guarantee for soil care.

Thanks to it's slightly acidic pH (4,7), **FULLROOT** is suitable for most of the mixtures used in agriculture.

# Citrus fruits, Stone fruits and seeds, Tropical crops:

Start entry full radicular activity, sprouting. Every 15-20 days until the end of the productive cycle 2-10 L/H.

# Ornamental and flowers:

From transplant or cut apply every 7-10 days. 5lts/Ha per week or 1Ltr/Ha per day withfertilizer

### WARNING:

The recommendations and information we provide are the result of extensive and rigorous studies and trials, however in use can involve many factors beyond our control (preparation of mixtures, application, climatology, etc.) The company guarantees the composition, formulation and content, the user will be responsible for the damages caused (lack of total or partial non-observance of the instructions on the label.

Manufactured by:

Distributed in East Africa by:

### SAFETY INSTRUCTIONS:

- P 102: Keep out of the reach of children.
- P 270: Do not eat, drink or smoke during use.
- P 401: Store away from food, beverages and feed.

Grange saft
INTERNACIONAL

Cira. Málou Alaciora 300, Km. 820. 46860 Albaida (Valencia) Spain
Tel: +003496 1055934 e-mail: orang-saft (com)
www.orangesaft com

